






## Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности


65 m 


10	15	15,88	20	25	30	35	40	45	50	55	60	65	m
10000	10000	10000	7731	6012	4882	4082	3486	3025	2658	2359	2110	1900	Kg 


60 m 


10	15	17,5	20	25	30	35	40	45	50	55	60	m
10000	10000	10000	8625	6721	5469	4584	3924	3414	3007	2675	2400	Kg 


55 m 


10	15	18,65	20	25	30	35	40	45	50	55	m
10000	10000	10000	9258	7223	5886	4939	4234	3689	3254	2900	Kg 


50 m 


10	15	19,33	20	25	30	35	40	45	50	m
10000	10000	10000	9631	7519	6131	5149	4417	3851	3400	Kg 


45 m 


10	15	19,53	25	30	35	40	45	m
10000	10000	10000	7609	6205	5212	4472	3900	Kg 


40 m 

10	15	19,63	25	30	35	40	m
10000	10000	10000	7653	6242	5243	4500	Kg 


35 m 


10	15	20,78	25	30	35	m
10000	10000	10000	8157	6659	5600	Kg 


30 m 


10	20	20,89	25	30	m
10000	10000	10000	8205	6700	Kg 


## SL-SUPERLIFT Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности


65 m 


10	15	17,03	20	25	30	35	40	45	50	55	60	65	m
10000	10000	10000	8366	6516	5299	4439	3797	3301	2906	2584	2316	2090	Kg  SL


60 m 


10	15	18,84	20	25	30	35	40	45	50	55	60	m
10000	10000	10000	9365	7308	5956	4999	4286	3735	3296	2937	2640	Kg  SL


55 m 


10	15	20	20,1	25	30	35	40	45	50	55	m
10000	10000	10000	10000	7873	6424	5399	4635	4044	3573	3190	Kg  SL


50 m 


10	15	20	20,9	25	30	35	40	45	50	m
10000	10000	10000	10000	8211	6704	5638	4844	4229	3740	Kg  SL


45 m 


10	15	21,16	25	30	35	40	45	m
10000	10000	10000	8321	6795	5716	4912	4290	Kg  SL


40 m 

10	15	21,3	25	30	35	40	m
10000	10000	10000	8382	6846	5759	4950	Kg  SL


35 m 


10	15	22,5	25	30	35	m
10000	10000	10000	8948	7315	6160	Kg  SL

30 m 

10	20	22,7	25	30	m
10000	10000	10000	9014	7370	Kg  SL




## Bloque de contrapeso - Counterweight blocks - Gegengewichtsblöcke - Bloc de contrepoid - Blocco di contrappeso - Плиты противовеса




	65 m			60 m			55 m			50 m		
	A	B	C	A	B	C	A	B	C	A	B	C
	8	-	-	8	-	-	8	-	-	7	1	-
	22000 Kg			22000 Kg			22000 Kg			20750 Kg		

	45 m			40 m			35 m			30 m		
	A	B	C	A	B	C	A	B	C	A	B	C
	7	-	-	6	1	-	6	-	-	5	-	-
	19250 Kg			18000 Kg			16500 Kg			13750 Kg		



## Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы

50Hp (35Kw) - INV - 5V  
400V - 50HZ / 60HZ  
HBG LEBUS 175m S/R Ø16

		m/min					
			0-5	0-22	0-42	0-60	0-115
440 m		Kg	10000	10000	4000	3000	1000
		Kw	35	35	35	35	35


	m/min	11 / 37 / 75		
	Kw	4,5		
	r.p.m.	0,3	0,6	0,9
	Kw	2 x 5,5		
	m/min	12 / 24		
	Kw	4 x 3		

50Hp (35Kw) - INV


		400V 50Hz I <sub>max</sub> .= 99A Fuse= 125A	TOTAL POWER 59 KVA	GENERATOR 105 KVA	100m 4x35mm <sup>2</sup>	150m 4x50mm <sup>2</sup>	200m 4x50mm <sup>2</sup>
2000/14/CEE 2005/88/CEE	2006/95 /CEE	* 480V 60Hz I <sub>max</sub> .= 83A Fuse= 90A					

- \* Opcional / Optional / Opzionale
-  Elevación / Hoisting / Heben / Levage / Sollevamento
-  Distribución / Trolleying / Katzfahren / Distribution / Distributions
-  Orientación / Slewing / Schwenken / Orientation / Rotazione
-  Traslación / Travelling / Schienenfahren / Translation / Traslazione
-  Cable / Rope / Seil / Câble / Funer

FEM 1005-C25-C50-D50 / EN 14439 - Mástil / Reacciones - Masts / Reactions - Maste / Eckdrücke - Mast / Réactions - Torre / Réazioni - Реакции / Комплектация башни



K = S17 8/8  
L = S17 16/8  
N = S21 - S17 8/8  
O = S21 8/8  
P = S21 16/8




C25	H (m)	31	36,9	48,7	51,7	54,6	60,5	66,4	105,6
	M (T·m)	282,2	325,6	436,6	462,5	498	591	693,2	1925,5
	T (t)	5,4	6	7,3	7,6	7,9	14	15	28,8
	P (t)	58,3	60,9	66,2	68,6	70	75,8	78	125,2

C50	H (m)	25,1	31	36,9	45,7	51,7	54,6	57,3	60,3
	M (T·m)	245,6	282,2	325,6	405,4	500,4	564,9	600,2	668
	T (t)	4,74	5,4	6	7	13,4	14	14,9	15,3
	P (t)	55,6	58,2	60,9	64,8	70,2	71,4	74,5	75,7


D50	H (m)	25,1	31	36,9	39,8	48,7		51,4	
	M (T·m)	245,6	282,2	345,7	402,4	595,6		847,1	
	T (t)	4,7	5,3	13,3	14,2	16,7		17,8	
	P (t)	55,6	58,2	63,2	64,4	69		72,2	

(i) Consultarnos - Consultateci - Consult us - Nous consulter - Auf Anfrage - Другие высоты подъема и наращивание крана по запросу


## FEM 1005-C25-C50-D50 / EN 14439 - Bloque lastre de base - Base ballast block - Grundballastblöcke - Bloc de lest de base - Blocco di zavorra alla base - Балласты опорной рамы




C25	H (m)	25,9 m	28,6 m	31,6 m	34,5 m	37,5 m	40,4 m	43,4 m	46,4 m
	R1 (t)	66,9 t	70,5 t	74,6t	79 t	83,7 t	89 t	100 t	114,3 t
	Z (t)	60 t	60 t	60 t	60 t	70 t	80 t	80 t	90 t
C50	H (m)	25,9 m	28,6 m	31,6 m	34,5 m	37,5 m	40,4 m	43,4 m	
	R1 (t)	70,2 t	70,8 t	74,9t	79,8 t	83,9 t	97,4 t	113,1 t	
	Z (t)	60 t	60 t	70 t	80 t	90 t	100 t	110 t	
D50	H (m)	25,9 m	28,6 m	31,6 m	34,5 m	37,5 m	40,4 m		
	R1 (t)	70,4 t	70,9 t	81,8 t	97,5 t	114,6 t	133 t		
	Z (t)	60 t	60 t	70 t	80 t	90 t	100 t		




C25	H (m)	29 m	34,9 m	40,8 m	46,7 m	49,7 m	52,6 m	58,5m	61,5 m
	R1 (t)	71,5 t	75,1 t	84,5t	111,7 t	126,9 t	143,5 t	180,6 t	201,6 t
	Z (t)	60 t	60 t	70 t	90 t	100 t	120 t	160 t	180 t
C50	H (m)	29 m	34,9 m	40,8 m	46,7 m	49,7 m	52,6 m	58,5m	
	R1 (t)	71,5 t	74,6 t	96,7t	127,1 t	144,2 t	162,6 t	204,3 t	
	Z (t)	60 t	60 t	70 t	100 t	120 t	140 t	190 t	
D50	H (m)	29 m	34,9 m	40,8 m	46,7 m	49,7 m	52,6 m		
	R1 (t)	82,9 t	98 t	132,1 t	171,9 t	194,3 t	218,5 t		
	Z (t)	60 t	70 t	110 t	160 t	190 t	220 t		




C25	H (m)	29,2 m	35,1 m	38 m	41 m	46,9 m	52,8 m	58,7 m	61,7 m
	R1 (t)	41,5 t	49,2 t	53,6t	61,8 t	81,3 t	103,7 t	129,6 t	144,2 t
	Z (t)	48 t	48 t	48 t	64 t	64 t	80 t	96 t	128 t
C50	H (m)	29,2 m	35,1 m	38 m	41 m	46,9 m	52,8 m	58,7 m	
	R1 (t)	48,6 t	53,1 t	61,4t	71,2 t	93 t	118,2 t	147,3 t	
	Z (t)	48 t	48 t	48 t	64 t	64 t	96 t	128 t	
D50	H (m)	29,2 m	35,1 m	38 m	41 m	46,9 m	52,8 m		
	R1 (t)	70,4 t	72,6 t	84,3 t	97,2 t	125,7 t	158,7 t		
	Z (t)	48 t	48 t	64 t	80 t	112 t	144 t		



C25	H (m)	56 m	59 m	61,9 m	64,9 m	67,8 m	70,8 m	73,7 m	76,7 m
	R1 (t)	119,6 t	132,2t	145,5 t	159,7 t	174,9 t	191,2 t	208,5 t	227,2 t
	Z (t)	96 t	112 t	128 t	144 t	160 t	176 t	192 t	208 t
C50	H (m)	56 m	59 m	61,9 m	64,9 m	67,8 m	70,8 m		
	R1 (t)	135,3 t	149,3t	164,3 t	180,2 t	197,2 t	215,4 t		
	Z (t)	112 t	128 t	144 t	160 t	192 t	208 t		
D50	H (m)	56 m	59 m	61,9 m	64,9 m				
	R1 (t)	180,9 t	199,3t	218,8 t	239,7 t				
	Z (t)	176 t	192 t	224 t	240 t				




C25	H (m)	25,9 m	28,8 m	31,8 m	37,7 m	40,6 m	46,5 m	52,4 m	55,4 m
	R1 (t)	49 t	53,1 t	56,4 t	59,9 t	62,4 t	82,2 t	105,5 t	118,5 t
	Z (t)	48 t	48 t	48 t	48 t	64 t	80 t	80 t	112 t
C50	H (m)	25,9 m	28,8 m	31,8 m	37,7 m	40,6 m	46,5 m	52,4 m	
	R1 (t)	51,3 t	54,8 t	58 t	61,2 t	71,2 t	93,6 t	119,6 t	
	Z (t)	48 t	48 t	48 t	64 t	64 t	80 t	96 t	
D50	H (m)	25,9 m	28,8 m	31,8 m	37,7 m	40,6 m	46,5 m		
	R1 (t)	52 t	56 t	61,7 t	84,9 t	97,9 t	127,3 t		
	Z (t)	48 t	48 t	48 t	64 t	80 t	96 t		



C25	H (m)	26 m	29 m	31,9 m	34,9 m	37,8 m	40,8 m		
	R1 (t)	80,5 t	85 t	88,9 t	95,4 t	101,3 t	107,7 t		
	Z (t)	70 t	70 t	80 t	90 t	100 t	100 t		
C50	H (m)	26 m	29 m	31,9 m	34,9 m	37,8 m	40,8 m		
	R1 (t)	81,2 t	86,4 t	89,9 t	96,8 t	102 t	119,9 t		
	Z (t)	70 t	70 t	80 t	90 t	100 t	120 t		
D50	H (m)	26 m	29 m	31,9 m	34,9 m	37,9 m			
	R1 (t)	81,8 t	86,8 t	100,5 t	119,5 t	140,4 t			
	Z (t)	70 t	70 t	80 t	100 t	110 t			

(A/B)




C45

H(m)	K11,8	K5,9	K2,95
46,4	3	1	1
43,4	3	1	-
40,4	3	-	1
37,5	3	-	-
34,5	2	1	1
31,6	2	1	-
28,6	2	-	1
25,9	2	-	-

H(m)	K11,8	K5,9	K2,95
46,4	-	-	-
43,4	3	1	-
40,4	3	-	1
37,5	3	-	-
34,5	2	1	1
31,6	2	1	-
28,6	2	-	1
25,9	2	-	-

H(m)	K11,8	K5,9	K2,95
46,4	-	-	-
43,4	-	-	-
40,4	3	-	1
37,5	3	-	-
34,5	2	1	1
31,6	2	1	-
28,6	2	-	1
25,9	2	-	-

(A/B)




C45R-P

C60R-P

H(m)	P	O11,8	O5,9	O2,95	N	K11,8	K5,9	K2,95
61,5	1	2	-	-	1	1	1	-
58,5	1	2	-	-	1	1	-	1
52,6	-	2	-	-	1	1	1	1
49,7	-	2	-	-	1	1	1	-
46,7	-	1	-	-	1	2	-	1
40,8	-	1	-	-	1	1	1	1
34,9	-	1	-	-	1	1	-	1
29	-	1	-	-	1	1	-	-

H(m)	P	O11,8	O5,9	O2,95	N	K11,8	K5,9	K2,95
61,5								
58,5								
52,6	1	2	-	-	1	-	1	1
49,7	1	1	-	-	1	1	1	-
46,7	-	1	-	-	1	2	-	1
40,8	-	1	-	-	1	1	1	1
34,9	-	1	-	-	1	1	-	1
29	-	1	-	-	1	1	-	-

(A/B)




C60R-U

H(m)	T6	X	P	O11,8	O5,9	O2,95	N	K11,8	K5,9	K2,95
76,7	3	1	1	1	-	-	1	1	1	1
73,7	3	1	1	1	-	-	1	1	1	-
70,8	3	1	1	1	-	-	1	1	-	1
67,8	2	1	1	1	-	-	1	1	1	-
64,9	1	1	1	1	-	-	1	1	1	1
61,9	-	1	1	1	-	-	1	2	-	1
59	-	1	1	1	-	-	1	2	-	-
56	-	1	1	1	-	-	1	1	1	1

H(m)	T6	X	P	O11,8	O5,9	O2,95	N	K11,8	K5,9	K2,95
64,9	2	1	1	1	-	-	1	1	-	1
61,9	2	1	1	1	-	-	1	1	-	1
59	1	1	1	1	-	-	1	1	1	-
56	1	1	1	1	-	-	1	1	-	1

(A/B)




C60

H(m)	P	O11,8	O5,9	O2,95	N	K11,8	K5,9	K2,95
55,4	-	2	1	-	1	1	1	-
52,4	-	2	1	-	1	1	-	1
46,5	-	2	-	-	1	1	-	1
40,6	-	2	-	-	1	1	-	-
37,7	-	1	-	-	1	1	1	-
31,8	-	1	-	-	1	1	-	-
28,8	-	1	-	-	1	-	1	1
25,9	-	1	-	-	1	-	1	-

H(m)	P	O11,8	O5,9	O2,95	N	K11,8	K5,9	K2,95
55,4	-							
52,4	-							
46,5	-	2	1	-	1	-	1	1
40,6	-	2	1	-	1	-	1	-
37,7	-	2	-	-	1	-	1	-
31,8	-	1	-	-	1	1	-	-
28,8	-	1	-	-	1	-	1	1
25,9	-	1	-	-	1	-	1	-

(A/B)



C38-900


H(m)	K11,8	K5,9	K2,95
40,8	3	-	1
37,8	3	-	-
34,9	2	1	1
31,9	2	1	-
29	2	-	-
26	2	-	-

H(m)	K11,8	K5,9	K2,95
40,8	3	-	1
37,8	3	-	-
34,9	2	1	1
31,9	2	1	-
29	2	-	-
26	2	-	-


H(m)	K11,8	K5,9	K2,95
37,8	3	-	-
34,9	2	1	1
31,9	2	1	-
29	2	-	-
26	2	-	-

## Proceso de trepado - Climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана


C25 TREPADO EXTERNO / EXTERNAL CLIMBING / GEANKERTER KRAN /  
GRUE ANDRÉE / GRU ANCORATA / ВОСХОЖДЕНИЕ



	MONOBLOCK K/2,95 m
A max.	30,6 m
B max.	17,7 m / (i)
C max.	40,1 m
Hi max.	54,6 m
H max.	88,4 m
C+B+A	
H max.	106,1 m / (i)
C+B+B+A	




	PAGINA 4 *1	MONOBLOCK K/5,9 m
A max.		30,6 m
B max.		17,7 m / (i)
C max.		40,1 m
Hi max.		51,7 m
H max.		88,4 m
C+B+A		
H max.		106,1 m / (i)
C+B+B+A		



	PAGINA 4 *2	MONOBLOCK K/5,9 m
A max.		30,6 m
B max.		17,7 m / (i)
C max.		52 m
Hi max.		66,4 m
H max.		100,3 m
C+B+A		
H max.		118 m / (i)
C+B+B+A		










TREPADO INTERNO / BOTTOM CLIMBING CRANE / KLETTERKRANE IM GEBÄUDE / TÉLESCOPAGE SUR DALLES /  
GRU CLIMBING / ВНУТРЕННИЙ ПРОЦЕСС ТЕЛЕСКОПИРОВАНИЯ















① Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage -  
Другие высоты подъема и наращивание крана по запросу







## Dimensiones y transporte - dimensions and transport - Abmessungen und Transport - dimensions et des transports - dimensioni e trasporti - Размеры и транспорта

	L(m)	W(m)	H(m)	Peso(Kg)	
<p><b>Pluma tramo primero</b> / Jib heel section / Ausleger-Anlenkstück / Pied de fleche / Settore articolato di braccio / Корневая секция стрелы</p> 	11,9	1,25	2,3	7450	
<p><b>Plataformas y accesorios</b> / accessories / Zubehör / accessoires / accessori</p>	4	0,6	0,2	355	
<p><b>Elemento intermedio de pluma</b> / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы</p>					
<p>Nº 2</p> 	2R	11,6	1,13	2,25	2480
<p>Nº 3, Nº 4, Nº 5</p> 	3R	11,6	1,13	1,8	2100
	4R	5,3	1,13	1,8	595
	5	5,3	1,13	1,8	510
	6	5,3	1,13	1,8	455
<p>Nº 6</p> 	7	5,3	1,13	1,45	370
<p>Nº 7, Nº 8, Nº 9</p> 	8	5,3	1,13	1,45	305
	9	5,15	1,13	1,4	225
<p>Nº 11</p> 	11R	5,15	1,13	2,25	1465
<p><b>Gancho, Carro y Puntera</b> / Hook, Trolley and jib head / Lasthaken - Laufkatze-Cabeça de Lança / Crochet - Chariot-Pointe de fleche / Gancio - Carrello e Punta freccia / Крюк и грузовая тележка</p> 	1,55	1,35	0,8	320	
	0,8	0,15	1,5	268	
	0,8	1,2	1,4	183	
<p><b>Contrapluma con tirantes</b> / Counter-jib and tie-bars / Gegenausleger / Contre-fleche / Controbraccio / Консоль противовеса</p> 	11,94	1,8	0,6	3390	
<p><b>Barandillas</b> / Protection</p>				240	
<p><b>Bloque de contrapeso</b> / Counterweight blocks / Gegengewichtsblöcke / Bloc de contrepoids / Blocco di contrappeso / Плита противовеса</p> 	A	3,5	1,25	0,29	2750
	B	1,83	1,25	0,29	1500

	L(m)	W(m)	H(m)	Peso(Kg)
<p><b>Base C38-900</b> / base C38-900 / Hauptträger für fundamentkreuz C38-900 / Base C38-900 / Base C38-900</p> 	5,75	1,47	0,97	5550
<p><b>Base Cruciforme C45-700</b> / Crossbase C45-700 / Fundamentkreuz C45-700 / Châsis C45-700 / Carro base C45-700</p> 	6,7	1,3	0,77	6190
<p><b>Base C60-900</b> / base C60-900 / Hauptträger für fundamentkreuz C60-900 / Base C60-900 / Base C60-900</p> 	8,66	1,47	0,96	8625
<p><b>Base C45R-P</b> / base C45R-P / Hauptträger für fundamentkreuz C45R-P / Base C45R-P / Base C45R-P</p> 	6,9	1,94	1,14	9000
<p><b>Base C60R-P/U</b> / base C60R-P/U / Hauptträger für fundamentkreuz C60R-P/U / Base C60R-P/U / Base C60R-P/U</p> 	9,01	1,94	1,35	13500
<p><b>Bloque lastre de base</b> / Base ballast block / Grundballastblöcke / Bloc de lest de base / Blocco di zavorra alla base</p> 	4,5 5,8	0,51 0,4	0,9 1,5	5000 8000
<p><b>Bloque apoyo de base</b> / Base support block / Grundballastblöcke / Bloc de appui de base / Blocco di appoggio alla base</p> 	2	0,5	2	5000

		L(m)	W(m)	H(m)	Peso(Kg)
<b>Traslacion</b> / Travelling bogies / Kranfahren / Traslation / Traslazione					
		1,15	0,25	0,45	450
		1,15	1,25	0,45	505
<b>Niveladores</b> / Levellers / Spindel pyramide / Niveleurs / Piedi regolabile					
	(x4)	1,20	1,20	0,65	250
<b>Elemento de empotre</b> / Foundation anchor / Fundamentanker / Pieds de scellement / El anegare / Анкерные крепления					
	S60/8	1,85	1,85	1,6	956
	S60/R16	1,85	1,85	1,6	1108
	S70/8	2,27	2,27	1,6	1122
	S70R/16	2,27	2,27	1,6	1274
	S75R16/20	0,35	0,35	1,6	1200
	S75R16/22	0,5	0,5	2	1400
	S75R16/26	0,5	0,5	2,4	2100
	S75R24/26	0,5	0,5	2,4	3400
	S75R32/26	0,5	0,5	3	3500
	Dima	2,31	2,34	0,8	1650
<b>Elemento de torre</b> / Tower section / Turmstück / Elément de mât / Elemento di torre / Башенные секции					
	K	11,8	1,85	1,85	4620
	K	5,9	1,85	1,85	2505
	K	3	1,85	1,85	1500
	L	11,8	1,85	1,85	5325
	O	11,8	2,27	2,27	4980
	O	5,9	2,27	2,27	2680
	O	3	2,27	2,27	1580
	P	11,8	2,27	2,27	5880
	N	5,9			2850
	X	6	2,27	2,29	4830
	T	6	2,27	2,29	4780
	T	12	2,27	2,29	9000
	U	6	2,31	2,34	6200
	U	12	2,31	2,34	11180
	Z	6	2,31	2,55	7825
	Z	12	2,31	2,55	15064
	ZR	6	2,31	2,55	7925
ZR	12	2,31	2,55	15200	
ZZR	12	2,31	2,55	15325	
<b>Unidad de rotacion</b> / Complete slewing unit / Drehbühne / Orientation / Rotazione / Оголовок башни					
	<b>K</b>	4,40	2,00	2,00	6800
	<b>O</b>	4,40	2,32	2,32	7400
<b>Balcon de giro</b> / Slewing unit Balcony / Drehbarer balkon / Balcon tournant / Rotazione					
		1,10	0,70	1,80	90

	L(m)	W(m)	H(m)	Peso(Kg)	
<p><b>Cabina y soporte</b> / Cabin and platform / Kabine und wartungs / Cabine et support / Cabina e supporto / Кабина с основой</p> 	3,00	1,15	2,35	1210	
<p><b>Jaula de telescopaje tipo K/O</b> / Climbing cage type K / Hydraulikkühne K / Cage de telescopage type K / Gabbia di montaggio K / Монтажная обойма</p> <p><b>Completa</b> / Full / Vollständige / Complete / completa / полный</p> 					
	<b>K-2,95</b>	7,35	2,1	2,1	6400
	<b>K-5,9</b>	11,2	2,1	2,1	8000
	<b>O-2,95</b>	7,35	2,75	2,75	7000
<p><b>Estructura</b> / Steel frame / Struktur / Construction / Struttura / структура</p>	<b>K-2,95</b>				4890
	<b>K-5,9</b>				6490
	<b>O-2,95</b>				5400
<p><b>Hidraulico y accesorios</b> / Hydraulic and accessories / Hydraulik-und Zubehör / hydraulique et accessoires / idrauliche ed accessori / Гидравлические и аксессуары</p>	<b>K-2,95</b>				1510
	<b>K-5,9</b>				1510
	<b>O-2,95</b>				1600
<p><b>Tramo trepador Kt-Ot</b> / Tower section Kt / Turmstück Kt / Élément de mât Kt / Elemento di torre Kt / Башенные секции</p> 	<b>Kt</b>	2,95	1,85	1,85	1475
	<b>Kt</b>	5,9	1,85	1,85	2572
	<b>Kt</b>	11,8	1,85	1,85	4750
	<b>Ot</b>	2,95	2,27	2,27	1475
	<b>Ot</b>	11,8	2,27	2,27	4750
<p><b>Marco trepado externo K-O</b> / Tie-frame / Cadre d'encrage externe / Sopralzo con ancoraggio esterno / внешняя рамка пристежки</p> 	<b>K</b>	2,31	2,31	0,26	950
	<b>O</b>	2,76	2,76	0,26	1135



40" HC x 6 - HBG 36,9 m



x 6 - HBG 36,9 m



**SERVICE**



**VERMIETUNG**



**VERKAUF**



**Bau- und Industriekrane**  
**Schwertransporte**  
**Hydraulikservice**  
**LKW-Kranarbeit**  
**Arbeitsbühnen**  
**Teleskoplader**



Wahlenstrasse 175, 4242 Laufen



061 781 55 11



info@bischag.ch

